

Fig. 1




Fig. 2




Fig. 3

10099771.061303




Fig. 4




FIG. 5A







FIG. 5B






FIG. 6

FIG. 7B

1. DECOM CASSETTE CLIP.
HOLDS MULTIPLE CASSETTES
AND FEEDS THEM TO THE
PROCESSING BREACH

IN THE PROCESSING BREACH, A CASSETTE
IS OPENED, IF IT HAS A CHIP THAT CHIP IS
READ AND THE CASSETTE HOUSING IS
EJECTED TO THE RECYCLE CLIP OR THE TOP
OF THE MAIN CLIP. THE CORE MATERIAL IS
SENT TO THE ACTIVATION PROCESS.

ROTARY CASSETTE CLIP




FIG. 7A




FIG. 7C




FIG. 7D

1009771.054203
20240726001




FIG. 8




FIG. 9




FIG. 10




FIG. 11A




FIG. 11B




FIG. 12A




FIG. 12B




FIG. 14




FIG. 15A




FIG. 15B

CASSETTE	<u>1610</u>	
DECOM	<u>1612</u>	
FUEL CELL	<u>1614</u>	
RECYCLE MODULE	<u>1616</u>	BATTERY <u>1618</u>
CONTROL SYSTEM & MEM-TEL CIRCUIT		<u>1620</u>

FIG. 16A




FIG. 16C




FIG. 16B